

## Uniform Indoor Air Quality Inspection and Evaluation Program

Reporting Year: 2024

District: Meriden Public Schools

School: Francis T Maloney High School

121 Gravel St, Meriden, CT 06450

In accordance with section 10-220(d) of the Connecticut General Statutes ("CGS § 10-220(d)" or "IAQ Statute"), Meriden Public Schools completed a uniform Indoor Air Quality (IAQ) inspection and evaluation of "Maloney High School" in 2024. This report provides summaries of the School's inspections and evaluations undertaken pursuant to the 14 IAQ categories set forth in the IAQ Statute. Where applicable, Meriden Public Schools referred to and relied on the U.S. Environmental Protection Agency's (EPA's) IAQ Tools for Schools (TFS) guidance and checklists in its inspections and evaluations. The TFS checklists completed for the School in 2024 can be found at <a href="https://www.maloneyhs.com/our-school/for-parents/tools-for-schools/">https://www.maloneyhs.com/our-school/for-parents/tools-for-schools/</a>.

### 1. Heating, Ventilation and Air Conditioning (HVAC) Systems

Meriden Public Schools completed this assessment requirement using a combination of the TFS general Walkthrough Inspection Checklist and Ventilation checklists. These checklists provide guidance for evaluating multiple elements of the School's HVAC systems, including its outdoor intakes and potential pollutant sources, system cleanliness and preventative maintenance programs, control components, distribution systems, and exhaust systems.

In accordance with section 10-231e of the Connecticut General Statutes, Meriden Public Schools also ensures that the School's HVAC systems are (1) maintained and operated in accordance with the prevailing maintenance standards at the time of installation or renovation of such systems, and (2) operated continuously during the hours in which students or School personnel occupy School facilities, except (A) during scheduled maintenance and emergency repairs, and (B) during periods for which School officials can demonstrate that the quantity of outdoor air supplied provides sufficient air changes.

In addition, Meriden Public Schools is preparing a standalone evaluation of the HVAC system at Maloney High School in compliance with the upcoming requirements of the IAQ statute.

This year's assessment did not identify any issues with the HVAC system that required immediate action in connection with IAQ in the School.

### 2. Radon Levels in Air

Meriden Public Schools has a long-established radon testing program for the School in accordance with CGS § 10-220(d) and the State of Connecticut Department of Public Health (CTDPH) guidance. This program currently requires qualified and trained professionals to evaluate each school building for radon through sampling and laboratory analysis every three years as well as reporting to CTDPH. Meriden Public Schools is conducting a radon evaluation in all school buildings during the 2024-2025 testing season. The District is due for the next periodic evaluation during the 2027-2028 school year.

3. Potential For Exposure to Microbiological Airborne Particles, Including, But Not Limited To, Fungi, Mold, and Bacteria

Meriden Public Schools addressed this assessment requirement using a combination of EPA's TFS general Walkthrough Inspection, Building and Grounds Maintenance, Food Service, and Teacher's Classroom checklists. The focus items include evaluation of drainage at the exterior and roof of the School, any evidence of interior moisture intrusion or moisture issues through roof or plumbing leaks or any consistent condensation and evidence of mold/mildew growth.

The School's conditions were typical of school buildings and no concerns for microbiological airborne particles were noted in the assessment.

4. Chemical Compounds of Concern to Indoor Air Quality Including, But Not Limited To, Volatile Organic Compounds

Meriden Public Schools addressed this assessment requirement using a combination of EPA's TFS general Walkthrough Inspection and Building and Grounds Maintenance checklists. The focus items include the evaluation of building maintenance supplies and grounds maintenance supplies and how they are used, stored, and labeled as well as spill response, engineering, and administrative controls used in conjunction with these products.

Meriden Public Schools evaluated laboratories and associated chemical storage areas to evaluate chemical management and confirmed chemicals were stored properly. The District regularly contracts with Clean Harbors to dispose of expired/unused chemicals or waste generated from the laboratories.

The assessment did not reveal any issues with chemicals of concern impacting the IAQ. Additionally, Meriden Public Schools continues to operate its green cleaning program utilizing environmentally preferable cleaning and disinfecting products.

5. Degree Of Pest Infestation, Including, But Not Limited To, Insects and Rodents

Meriden Public Schools addressed this assessment requirement using a combination of EPA's TFS general Walkthrough Inspection, Teacher's Classroom, Waste Management, Food Service, and Integrated Pest Management checklists. The focus items include the evaluation of pest evidence, entry points, food, water, and identification of potential pest habitats as well as establishing a regular monitoring program.

Buildings are visually inspected bi-weekly by Total Pest Control (the district's integrated pest management company) to evaluate reported issues (if applicable), review potential exterior entry points and eliminate conditions that might be conducive to breeding or attracting pests. After the assessment, it was determined that any food stored in classrooms should be contained in plastic containers.

#### 6. Degree Of Pesticide Usage

Meriden Public Schools operates an Integrated Pest Management (IPM) program in accordance with CGS § 10-231a-231d. The IPM program requires Meriden Public Schools to evaluate alternative pest management methods before using pesticides, utilize the least toxic method to address the pest problem and ensure all pest control products are used and stored in accordance with regulatory and manufacturer requirements by trained and qualified personnel. The plan further requires notifications to School occupants and parents of pesticide applications through posted notices and/or letters and that records of IPM practices and a pest management log be maintained for the School.

The application of pesticides on School grounds is avoided unless there is an emergency and it is only used under the direction of a licensed pesticide applicator.

7. The Presence Of And The Plans For Removal Of Any Hazardous Substances That Are Contained On The List Prepared Pursuant To Section 302 Of The Federal Emergency Planning And Community Right-To-Know Act, 42 USC 9601 Et Seq. (EPCRA)

Meriden Public Schools has evaluated the School for the potential presence of "extremely hazardous substances" as listed in EPCRA Section 302 and determined there are currently none present.

8. Ventilation Systems

The assessment of the School's ventilation systems is addressed in Section 1 herein.

9. Plumbing, Including Water Distribution Systems, Drainage Systems and Fixtures

Meriden Public Schools addressed this assessment requirement using a combination of EPA's TFS General Walkthrough Inspection, Building and Grounds Maintenance, Teacher's Classroom, and Food Service checklists. The focus items include the evaluation of drainage and plumbing systems for evidence of leaks, odors, staining, condensation, and evidence of mold/mildew growth.

Based on the walkthrough, no plumbing issues affecting IAQ were identified

### 10. Moisture Incursion

Meriden Public Schools addressed this assessment requirement using a combination of EPA's TFS general Walkthrough Inspection, Building and Grounds Maintenance, Teacher's Classroom and Food Service checklists. The focus items include evaluation of drainage at the exterior and roof of the building, evidence of interior moisture intrusion or moisture issues through roof or plumbing leaks or consistent condensation, and evidence of mold/mildew growth.

In Meriden, if school staff see issues of moisture incursion they report them to the head custodian. The head custodian enters a work order ticket. When these issues are identified via the ticket process or otherwise brought to the attention of the Facilities Department, they are repaired or replaced as applicable and the root cause of the moisture is evaluated and addressed.

#### 11. Overall Cleanliness of The Facilities

Meriden Public Schools addressed this assessment requirement using a combination of EPA's TFS general Walkthrough Inspection, Teacher's Classroom, Waste Management, Food Service, and Integrated Pest Management checklists. The focus items include evaluation of sanitary conditions in food handling and storage areas, ensuring waste does not accumulate, verifying walk-off mats are present at each entrance, ensuring proper procedures are in place for dust control during cleaning activities and a schedule is established for vacuuming and mopping floors.

Overall, the School facility was acceptably clean.

12. Building Structural Elements, Including, But Not Limited To, Roofing, Basements or Slabs

Meriden Public Schools addressed this assessment requirement using a combination of EPA's TFS general Walkthrough Inspection and Building and Grounds Maintenance checklists. The focus items include visual evaluation of roofing materials and structural components of the School building.




13. Use Of Space, Particularly Areas That Were Designed to Be Unoccupied

Meriden Public Schools continuously evaluates the use of space at the School. The School staff understand that spaces not designed to be occupied may not have adequate ventilation or meet minimum requirements for heating or cooling. Maloney High School did not identify the use of any spaces contrary to their intended use (e.g., the use of a closet as an office).

14. The Provision of Indoor Air Quality Maintenance Training for Building Staff

The School's building staff have been trained, most recently in 2024, in the use of the EPA TFS checklists to gather information related to the overall condition of the school building. Staff understand that findings must be documented and addressed promptly. Additionally, certain staff members have specialized training related to HVAC, plumbing, nursing, groundskeeping, etc., and serve a critical role in addressing identified concerns if/when they arise.



- 1. Read the IAQ
  Backgrounder and
  the Background
  Information for
  this checklist.
- 2. Keep the
  Background
  Information and
  make a copy of
  the checklist for
  future reference.
- 3. Complete the Checklist.
  - Check the "yes," "no," or "not applicable" box beside each item. (A "no" response requires further attention.)
  - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.


# **Building and Grounds Maintenance Checklist**

-	Name: STOPHON KOGUT			
	School: Maloney High School			
	Room or Area: Au Date Completed: 2/23	1/24	,	
	Signature: Styphin M. Kogert	1/27		-
	Signature: Shyshim 11, Roger			_
ļ.				V
1	PLUI DING BAAINTENANGE CUEDUS			
	. BUILDING MAINTENANCE SUPPLIES	Yes	No	N/A
11	a. Developed appropriate procedures and stocked supplies for spill control	N	/a	
16	b. Reviewed supply labels	da/	, o	
*.	the outdoors	nd/	_	П
10	<ol> <li>Stored chemical products and supplies in sealed clearly labeled</li> </ol>	/	, "	۵
	containers	d/	' a	
16	Researched and selected the safest products available	Ø		
11	Ensured that supplies are being used according to manufacturers' instructions	_/		(Table 1)
lg	Ensured that chemicals, chemical-containing wastes, and containers are	<u>w</u> /	u	
	disposed of according to manufacturers' instructions	d/		۵
1h	. Substituted less- or non-hazardous materials (where possible)	🖼		_
11.	Scheduled work involving odorous or hazardous chemicals for periods	/		
1j.	When the school is unoccupied	<b>a</b>	/0	
,	hazardous chemicals			
_			,	_
2.	GROUNDS MAINTENANCE SUPPLIES	/	6	
2a.	Stored grounds maintenance supplies in appropriate area(s)	œ		
2b.	Ensured that supplies are used and stored according to manufacturers'	/	5211	_
	mstructions	◘	Q	
	Established and followed procedures to minimize exposure to fumes from supplies	1	(T)	
2d.	Reviewed and followed manufacturers' guidelines for maintenance	- N		
Ze.	Replaced portable gas cans with low-emission cans		6	_
2f.	Stored chemical products and supplies in sealed, clearly-labeled	/		
20	Ensured that chemicals above in Land 1	🗹 /		
-6.	Ensured that chemicals, chemical-containing wastes, and containers are disposed of according to manufacturers' instructions	🗷	0	0
3.	DUST CONTROL		525-711	_
_		1		
3a.	Installed and maintained barrier mats for entrances		ū	
3b. 3c.	Used high efficiency vacuum bags	🗹 /		
3d.	Used proper dusting techniques	. W		
	17 Captors with a dust Cluff	. 4 /		

3e. Cleaned air return grilles and air supply vents.....

4.	FLOOR CLEANING	· ·	
4b	Established and followed schedule for vacuuming and mopping floors	0	
<b>5</b> .	DRAIN TRAPS		
5Ъ.	Poured water down floor drains once per week (about 1 quart of water)		000
6.	MOISTURE, LEAKS, AND SPILLS		
6a. 6b.	Checked for moldy odors		
6c.	Checked areas where moisture is commonly generated (e.g., kitchens,		
	Checked that windows, windowsills, and window frames are free of		
бе <i>.</i>	Checked that indoor surfaces of exterior walls and cold water pipes are		
	free of condensate		
01.	Ensured the following areas are free from signs of leaks and water damage: Indoor areas near known roof or wall leaks Walls around leaky or broken windows Floors and ceilings under plumbing Duct interiors near humidifiers, cooling coils, and outdoor air intakes		0000
7.	COMBUSTION APPLIANCES		
7b. 7c.	Checked for odors from combustion appliances  Checked appliances for backdrafting (using chemical smoke)  Inspected exhaust components for leaks, disconnections, or deterioration  Inspected flue components for corrosion and soot		
3.	PEST CONTROL /		
a.	Completed the Integrated Pest Management Checklist		0





- Read the IAQ
   Backgrounder and the Background Information for this checklist.
- 2. Keep the
  Background
  Information and
  make a copy of
  the checklist for
  future reference.
- 3. Complete the Checklist.
  - Check the "yes,"
     "no," or
     "not applicable"
     box beside each
     item. (A "no"
     response
     requires further
     attention.)
  - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

# **Food Service Checklist**

H .	bod bei vide dileakiist
Na	me: Megan Jalbert
Scl	hool: Maloney High School
	om or Area: Catel Kitchen Date Completed: 3/28/24
Ro	4.
Sig	gnature: Megn Galbert
1.	COOKING AREA
1a.	Determined that local exhaust fans operate properly (note if fans are excessively noisy)
1b.	Checked for odors near cooking, preparation, and eating areas .none.
	Ensured that exhaust fans are used whenever cooking, washing dishes,
	and cleaning
	Determined that gas appliances function properly
	Verified that gas appliances are vented outdoors
1f.	Ensured there are no combustion gas or natural gas odors, leaks, backdrafting, or headaches when gas appliances are used
	Ensured that kitchen is clean after use $except + 10013$
lh.	Checked for signs of microbiological growth in the kitchen, including
	the upper walls and ceiling (for example, mold, slime, and algae)
1i.	Selected biocides registered by EPA (if required), followed the manufacturer's directions for use, and carefully reviewed the
	method of application
lj.	Verified the kitchen is free of plumbing and ceiling leaks (signs include
3	stains, discoloration, and damp areas)
2.	FOOD HANDLING AND STORAGE
2a.	Checked food preparation, cooking, and storage areas for signs of insects and vermin (for example, feces or remains) no evidence of peliti
2b.	Stored leftovers in well-sealed containers with no traces of food on outside
	surfaces
	Ensured that food preparation, cooking, and storage practices are sanitary $\Box$
	Disposed of food scraps properly and removed crumbs
2e.	Cleaned counters with soap and water or a disinfectant (according to
2f.	school policy)  Swept and wet mopped floors
3.	WASTE MANAGEMENT
· ·	
3a. 3b.	Selected and placed waste in appropriate containers.  Ensured that containers' lids are securely closed. After Service.

3c. Separated food waste and food-contaminated items from other wastes,

3e. Ensured that dumpsters are properly located (away from air intake vents, operable windows, and food service doors in relation to

prevailing winds) .....

3d. Stored waste containers in a well-ventilated area ......

4.	DELIVERIES Yes, No. N/A	
4a.	Ves. No N/A  Instructed vendors to avoid idling their engines during deliveries	
4b.	Posted a sign prohibiting vehicles from idling their engines in receiving areas	,
4c.	Ensured that doors or air barriers are closed between receiving area and kitchen	1
	vendors turn engines off	



-floors need TLC



- 1. Read the IAQ

  Backgrounder and the Background Information for this checklist.
- 2. Keep the
  Background
  Information and
  make a copy of
  the checklist for
  future reference.
- 3. Complete the Checklist.
  - Check the "yes,"
     "no," or
     "not applicable"
     box beside each
     item. (A "no"
     response
     requires further
     attention.)
  - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

# Integrated Pest Management Checklist

N	iame: STEPHEW KOGUT	
s	chool: Maloney High School	
R	oom or Area: ALL Date Completed: 2/23/24  ignature: Styrkin Keyert	
1.	OFFICIAL POLICY STATEMENT Yes, N	o N/A
1a.	Developed or located the school's official policy statement for integrated pest management (IPM)	<u> </u>
2.	DESIGNATING PEST MANAGEMENT ROLES	
2b.	Assigned and trained a qualified person to be the pest manager	
	Educated students and staff (the occupants of the building) about IPM and asked them to keep their areas clean and free of clutter	ı
2e.	Developed a program to educate and train all IPM participants	
21,	professionals	ם נ
3.	SETTING PEST MANAGEMENT OBJECTIVES	
	Set appropriate pest management objectives for school buildings (such as preventing pests from interfering with students' learning environment and preserving the integrity of the building structure)	1 0
3b.	Set appropriate pest management objectives for school grounds (such as providing safe playing areas and the best athletic surfaces possible)	
4.	INSPECTING, IDENTIFYING, AND MONITORING	
4a.	Inspected all buildings and grounds for pest evidence, entry points, food, water, and harborage sites	1 0
4b.	Identified potential pest habitats in buildings and grounds	1 0
	Pinpointed the source of any current pest problems	
	Monitored to determine the extent of pest problems and to estimate pest populations	
	Developed plans to modify habitat (for example, exclusion, repair, and sanitation efforts) to prevent or resolve any pest problems	0
4f.	Established a monitoring program that consists of routine inspections to estimate pest population levels and identify evidence of pests and	

potential habitat ......

	5.	SETTING ACTION THRESHOLDS			
	5a	Evaluated all available data obtained through inspecting, identifying, and monitoring		No	N/
	5b	. Determined how many pests the school buildings, grounds, and occupants can tolerate	,		
	5c.	. Set action thresholds	3	] []	0
	6.	PREVENTIVE STRATEGIES			
	IN	DOOR SITES			
	ба.	Implemented appropriate strategies to prevent pests from inhabiting the following	owje	g are	as:
		Entryways	d	ū	
		Classrooms			
		Gymnasiums	d/		
		Locker rooms	d,		
		Offices	<b>d</b> /	'u	
		Staff lounges			
		Bathrooms	0/	0	
		Food preparation and serving areas			
		Rooms with extensive plumbing			a
		Maintenance areas	9		0
		• Other		ū	ā
	οu	TTDOOR SITES			
	6Ъ.	Implemented appropriate strategies to prevent pests from inhabiting the follo	wis	o are	16.
		• Playgrounds	V		
		Parking lots	V/		_
		• Lawns and athletic fields	ď.	5	ā
		Teaching gardens or greenhouses		0	0
		• Loading docks	₹,	Ö	ä
		• Dumpsters			ū
		Areas with ornamental shrubs and trees	1	a	J
		• Other		ā	ū
	7.	PESTICIDE USE AND STORAGE			
		Explored alternative pest management methods before concluding that	1		
		pesticides were necessary	1		П
7	7b.	Ensured that pest management professionals integrate IPM into their pest management methods		_	J
~	7c	Identified the least toxic, target-specific chemical (or pesticide	y	ч	ч
,		formulation) that is the most effective to address the pest problem, preferably as baitsand granules			П
7	d.	Reviewed and followed all label instructions on pesticides and learned		_	_
		how to properly apply and handle these chemicals	4	0	0
7	e.	Used spot-treatment (or bait, crack, and crevice applications) to apply pesticides whenever possible and only treated the obviously infested	/	_	_
		plants in the area	1/		
	f.	Used protective clothing or equipment when applying pesticides	1		
7	g.	Placed all pesticides in tamper-resistant bait boxes or locations that are	/		
		inaccessible to children and non-target species	1		$\Box$





7.	PESTICIDE USE AND STORAGE (cont.)				
7h.	Locked or fastened lids of all bait boxes and placed bait away from the runway of the box	Yes	No □	N/A	
7i.	Applied pesticides when occupants were not present or in areas where they would not be exposed to the chemicals				
7j.	Ensured that school occupants (students and staff) are notified of upcoming pesticide applications through posted notices and/or letters	🗖	a		
	Ensured that parents are notified of upcoming pesticide applications through letters				
	Kept copies of current pesticide labels and information on pesticides easily accessible			0	
	Stored pesticides off site or in areas that are locked and accessible only to designated personnel	. 🗹	٥		
7n.	Ensured that storage areas are adequately ventilated and are located away from areas prone to flooding or where spills or leaks may contaminate the environment		П	Ð	
7o.	Ensured that flammable liquids are stored away from ignition sources			_	
	Ensured that pesticides are stored in their original containers and all lids are securely fastened	1	_ 	_	
7q.	Ensured that air in the storage space cannot mix with the air in the central ventilation system	/	۵		
8.	EVALUATING RESULTS AND RECORD KEEPING				
	Ensured that accurate, up-to-date records of IPM practices and a pest management log for each property are kept	. 🗷		٥	
8b.	Ensured that pesticide records necessary to meet all state, local, and school board requirements are maintained	d)	0	0	IP.
8c.	Ensured that each log book contains the following items:		1	0	poli
	Copy of the pest management plan	0/	<b>S</b>		
	Service schedules for maintenance of buildings and grounds				
	Current EPA-registered labels     Current Motorial Sofety Data Shoots (MSDS) for an Invatigity Sofety Sofety Data Shoots (MSDS) for an Invatigity Sofety Sofety Sofety Shoots (MSDS) for an Invat				
	Current Material Safety Data Sheets (MSDS) for each pesticide project      Pest surveillance data sheets	NA NA			
	Diagram noting the location of pest activity, traps, and bait stations			0	



- 1. Read the IAQ
  Backgrounder and
  the Background
  Information for
  this checklist.
- 2. Keep the
  Background
  Information and
  make a copy of
  this checklist for
  each ventilation
  unit in your school,
  as well as a
  copy for future
  reference.
- 3. Complete the Checklist.
  - Check the "yes,"
     "no," or
     "not applicable"
     box beside each
     item. (A "no"
     response
     requires further
     attention.)
  - Make comments in the "Notes" section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.

# **Ventilation Checklist**

Name: STEPHEN KOGUT		
School: Maloney High School		
Unit Ventilator/AHU No:		
Room or Area: All Dete Completed 3/35/64		_
Room or Area: AU Date Completed: 3/23/24  Signature: Styshon M. Kogut		
Signature: Alpha 1. Rogur	_	
1. OUTDOOR AIR INTAKES		
1a. Marked locations of all outdoor air intakes on a small floor plan (for example, a fire escape floor plan)		N/A
1b. Ensured that the ventilation system was on and operating in "occupied"	J	u
mode		
A CTYLITEN 1. OBCODYLOGICANO		
ACTIVITY 1: OBSTRUCTIONS  1c. Ensured that outdoor air intakes are clear of obstructions, debris, clogs,	,	
or covers		
ld. Installed corrective devices as necessary (e.g., if snowdrifts or leaves		
frequently block an intake)		
ACTIVITY 2: POLLUTANT SOURCES		
le. Checked ground-level intakes for pollutant sources (dumpsters, loading	5:	
docks, and bus-idling areas)		
f. Checked rooftop intakes for pollutant sources (plumbing vents; kitchen,	/	
toilet, or laboratory exhaust fans; puddles; and mist from air-conditioning cooling towers)	П	
g. Resolved any problems with pollutant sources located near outdoor air	_	
intakes (e.g., relocated dumpster or extended exhaust pipe)		অ
ACTIVITY 3: AIRFLOW	)	
h. Obtained chemical smoke (or a small piece of tissue paper or light plastic)	а	
i. Confirmed that outdoor air is entering the intake appropriately		
2. SYSTEM CLEANLINESS		
ACTIVITY 4: AIR FILTERS		
a. Replaced filters per maintenance schedule	0	
b. Shut off ventilation system fans while replacing filters (prevents dirt from blowing downstream)	173	-
c. Vacuumed filter areas before installing new filters.		ח
d. Confirmed proper fit of filters to prevent air from bypassing (flowing	, -	_
around) the air filter		
e. Confirmed proper installation of filters (correct direction for airflow)		

# 2. SYSTEM CLEANLINESS (continued) **ACTIVITY 5: DRAIN PANS** Yes No N/A 2f. Ensured that drain pans slant toward the drain (to prevent water from accumulating) ..... 2g. Cleaned drain pans 2h. Checked drain pans for mold and mildew ...... **ACTIVITY 6: COILS** 2i. Ensured that heating and cooling coils are clean ...... **ACTIVITY 7: AIR-HANDLING UNITS. UNIT VENTILATORS** 2j. Ensured that the interior of air-handling unit(s) or unit ventilator 2k. Ensured that ducts are clean **ACTIVITY 8: MECHANICAL ROOMS** 21. Checked mechanical room for unsanitary conditions, leaks, and spills ........ 2m. Ensured that mechanical rooms and air-mixing chambers are free of trash, chemical products, and supplies 3. CONTROLS FOR OUTDOOR AIR SUPPLY 3a. Ensured that air dampers are at least partially open (minimum position) ...... 3b. Ensured that minimum position provides adequate outdoor air for occupants ...... **ACTIVITY 9: CONTROLS INFORMATION** 3c. Obtained and reviewed all design inside/outside temperature and humidity requirements, controls specifications, as-built mechanical drawings, and controls operations manuals (often uniquely designed) ....... **ACTIVITY 10: CLOCKS, TIMERS, SWITCHES** 3d. Turned summer-winter switches to the correct position ...... 3f. Ensured that settings fit the actual schedule of building use (including night/weekend use) **ACTIVITY 11: CONTROL COMPONENTS** 3g. Ensured appropriate system pressure by testing line pressure at both the 3i. Replaced control system filters at the compressor inlet based on the compressor manufacturer's recommendation (for example, when you blow down the tank)...... 3j. Set the line pressure at each thermostat and damper actuator at the proper level (no leakage or obstructions) ....... **ACTIVITY 12: OUTDOOR AIR DAMPERS** 3k. Ensured that the outdoor air damper is visible for inspection ....... 31. Ensured that the recirculating relief and/or exhaust dampers are visible 3m. Ensured that air temperature in the indoor area(s) served by each



NOTE: It is necessary to ensure that the damper is operating properly and within the normal range to continue.

outdoor air damper is within the normal operating range .......



3.	CONTROLS FOR OUTDOOR AIR SUPPLY (continued)		
3n.	Checked that the outdoor air damper fully closes within a few minutes of shutting off appropriate air handler	No	N/A
	Checked that the outdoor air damper opens (at least partially with no delay) when the air handler is turned on	۵	
-	If in heating mode, checked that the outdoor air damper goes to its minimum position (without completely closing) when the room thermostat is set to 85°F	۵	
3q.	If in cooling mode, checked that the outdoor air damper goes to its minimum position (without completely closing) when the room thermostat is set to 60°F and mixed air thermostat is set to 45°F		4
3r.	If the outdoor air damper does not move, confirmed the following items:  • The damper actuator links to the damper shaft, and any linkage set screws or bolts are tight	o o	ď.
	<ul> <li>Moving parts are free of impediments (e.g., rust, corrosion)</li></ul>	0	
	• The outside air thermostat(s) is functioning properly (e.g., in the right location, calibrated correctly)	o	Ġ/
	ceed to Activities 13–16 if the damper seems to be operating properly.		
3s.	Disconnected power to controls (for automatic reset only) to test continuity across terminals		<u> </u>
OR 3t.	Confirmed (if applicable) that depressing the manual reset button (usually red) trips the freeze stat (clicking sound indicates freeze stat was		,
3u.	Assessed the feasibility of replacing all manual reset freeze-stats with automatic reset freeze-stats	0	<b>₫</b>
clos	TE: HVAC systems with water coils need protection from the cold. The freeze-stat e the outdoor air damper and disconnect the supply air when tripped. The typica ge is 35°F to 42°F.		
AC'	FIVITY 14: MIXED AIR THERMOSTATS		
	Ensured that the mixed air stat for heating mode is set no higher than 65°F	۵	۵
3w.	Ensured that the mixed air stat for cooling mode is set no lower than the room thermostat setting	Q	
	TIVITY 15: ECONOMIZERS  Confirmed proper economizer settings based on design specifications or		
574.	local practices		
	TE: The dry-bulb is typically set at 65°F or lower.		
3y. 3z.	Checked that sensor on the economizer is shielded from direct sunlight Ensured that dampers operate properly (for outside air, return air,	0	
1701	Ensured that dampers operate properly (for outside air, return air, exhaust/relief air, and recirculated air), per the design specifications		u
loaa Dry and	E: Economizers use varying amounts of cool outdoor air to assist with the coolid of the room or rooms. There are two types of economizers, dry-bulb and enthalpy bulb economizers vary the amount of outdoor air based on outdoor temperature, enthalpy economizers vary the amount of outdoor air based on outdoor temperature, burnidity level	<i>y</i> .	

3. CONTROLS FOR OUTDOOR AIR SUPPLY (continued)		
ACTIVITY 16: FANS  3aa. Ensured that all fans (supply fans and associated return or relief fans) that move outside air indoors continuously operate during occupied hours (even when room thermostat is satisfied)	No	N/A
NOTE: If fan shuts off when the thermostat is satisfied, adjust control cycle as neces: ensure sufficient outdoor air supply.	sary	to
4. AIR DISTRIBUTION		
ACTIVITY 17: AIR DISTRIBUTION  4a. Ensured that supply and return air pathways in the existing ventilation system perform as required	<u> </u>	<u> </u>
NOTE: If ventilation system is closed or blocked to meet current fire codes, consult was professional engineer for remedies.	rith a	- t
<ul> <li>4c. Made sure every occupied space has supply of outdoor air (mechanical system or operable windows)</li> <li>4d. Ensured that supply and return vents are open and unblocked</li> </ul>	<u> </u>	0
NOTE: If outlets have been blocked intentionally to correct drafts or discomfort, inve and correct the cause of the discomfort and reopen the vents.	stiga	te
<ul> <li>4e. Modified the HVAC system to supply outside air to areas without an outdoor air supply</li></ul>		ø/
and population changes		₫.
blackboards or displays, bookshelves) that could block movement of air in the room, especially those blocking air vents		<b>'</b>
4i. Ensured that classrooms are free of uncomfortable drafts produced by air from supply terminals		0
	ч	u
ACTIVITY 18: PRESSURIZATION IN BUILDINGS		
NOTE: To prevent infiltration of outdoor pollutants, the ventilation system is designed maintain positive pressurization in the building. Therefore, ensure that the system, incany exhaust fans, is operating on the "occupied" cycle when doing this activity.	l to ludir	ng
4j. Ensured that air flows out of the building (using chemical smoke) through windows, doors, or other cracks and holes in exterior wall (for example, floor joints, pipe openings)	<b>M</b>	<u> </u>
5. EXHAUST SYSTEMS		
ACTIVITY 19: EXHAUST FAN OPERATION 5a. Checked (using chemical smoke) that air flows into exhaust fan grille(s)	۵	
If fans are running but air is not flowing toward the exhaust intake, check for the follo • Inoperable dampers • Obstructed, leaky, or disconnected ductwork • Undersized or improperly installed fan • Broken fan belt	wing	:






# 5. EXHAUST SYSTEMS (continued)

### **ACTIVITY 20: EXHAUST AIRFLOW**

	OTE: Prevent migration of indoor contaminants from areas such as bathrooms, a dalance of the dal			ς,
5b.	Checked (using chemical smoke) that air is drawn into the room from adjacent spaces			N/A
the	and outside the room with the door slightly open while checking airflow high an a door opening (see "How to Measure Airflow").	,		n
5c.	Ensured that air is flowing toward the exhaust intake	4	a	
	CTIVITY 21: EXHAUST DUCTWORK  Checked that the exhaust ductwork downstream of the exhaust fan (which is under positive pressure) is sealed and in good condition	/	0	0
6.	QUANTITY OF OUTDOOR AIR			
AC	TIVITY 22: OUTDOOR AIR MEASUREMENTS AND CALCULATION	S		
NO	TE: Refer to "How to Measure Airflow" for techniques.			
	Measured the quantity of outdoor air supplied (22a) to each ventilation unit	)	el el	,
6b.	Calculated the number of occupants served (22b) by the ventilation unit under consideration	)	A	/ 🗖
6c.	Divided outdoor air supply (22a) by the number of occupants (22b) to determine the existing quantity of outdoor air supply per person (22c)		4	, 
AC	TIVITY 23: ACCEPTABLE LEVELS OF OUTDOOR AIR QUANTITIES	3		
	Compared the existing outdoor air per person (22c) to the recommended levels in Table 1			
6e.	Corrected problems with ventilation units that supplied inadequate quantities of outdoor air to ensure that outdoor air quantities (22c) meet the recommended levels in Table 1	1	œ/	/ 
AN	S ARE CLEANED WHEN WE CLEAN THE COLO	- - - - - - - - - - - - - - - - - - -	- -	
AN SYS	S ARE CLEANED WHEN WE CLEAN THE COLO STEM IS OPERATIONS ACCORDING T ATTONS OF CONSTRUCTION STANDARDS	\ \ \		4

# **NOTES**

- DRAIN PANS ARE
- HVAC SYSTEM
SPECIFICATIONS 6



- 1. Read the IAQ

  Backgrounder and the Background Information for this checklist.
- 2. Keep the
  Background
  Information and
  make a copy of
  the checklist for
  future reference.
- 3. Complete the Checklist.
  - Check the "yes,"
     "no," or
     "not applicable"
     box beside each
     item. (A "no"
     response
     requires further
     attention.)
  - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

# Walkthrough Inspection Checklist

Name:	STEPHEN	HOGUT		
School:	Maloney High	School		
Room or A	Area: AU		Date Completed:	2/23/24
Signature:	Styphon	M. Kog	-	

1.	GROUND LEVEL	المما	N <sub>0</sub>	N/A
la.	Ensured that ventilation units operate properly			IV/A
	Ensured there are no obstructions blocking air intakes		ā	_
	Checked for nests and droppings near outdoor air intakes			
	Determined that dumpsters are located away from doors, windows, and outdoor air intakes	1	<u> </u>	٥
le.	Checked potential sources of air contaminants near the building (chimneys, stacks, industrial plants, exhaust from nearby buildings)	1	<u> </u>	o.
lf.	Ensured that vehicles avoid idling near outdoor air intakes			
	Minimized pesticide application	ZZ/		
1h.	Ensured that there is proper drainage away from the building (including roof downspouts)		ū	
li.	Ensured that sprinklers spray away from the building and outdoor air intakes	/	a	
lj.		/	<u> </u>	
2.	ROOF			
		44004		
	ile on the roof, consider inspecting the HVAC units (use the Ventilation Check Ensured that the roof is in good condition	//		
	Checked for evidence of water ponding			
	Checked that ventilation units operate properly (air flows in)		'n	_
	Ensured that exhaust fans operate properly (air flows out)		<u> </u>	ō
	Ensured that air intakes remain open, even at minimum setting		ā	ō
	Checked for nests and droppings near outdoor air intakes			
	Ensured that air from plumbing stacks and exhaust outlets flows away from outdoor air intakes	1		_
3	ATTIC		Ī	_
				/
	Checked for evidence of roof and plumbing leaks			4
36.	Checked for birds and animal nests	ב		<b>™</b>
4.	GENERAL CONSIDERATIONS			
4a.	Ensured that temperature and humidity are maintained within acceptable ranges	1	a	
4b.	Ensured that no obstructions exist in supply and exhaust vents		<u> </u>	ū
	Checked for odors			
4d.	Checked for signs of mold and mildew growth	4	П	

4e. 4f.	Checked for signs of water damage		N/A 	
<b>5</b> .	BATHROOMS AND GENERAL PLUMBING			
	Ensured that bathrooms and restrooms have operating exhaust fans	۵	۵	
	Water is poured down floor drains once per week (approx. 1 quart of water)			
	Water is poured into sinks at least once per week (about 2 cups of water)		Q	
	Toilets are flushed at least once per week			
6.	MAINTENANCE SUPPLIES			
	Ensured that chemicals are used only with adequate ventilation and when building is unoccupied			
6b.	Ensured that vents in chemical and trash storage areas are operating properly			
6c.	Ensured that portable fuel containers are properly closed			
	Ensured that power equipment, like snowblowers and lawn mowers, have been serviced and maintained according to manufacturers' guidelines	۵	0	
7.	COMBUSTION APPLIANCES			
7a.	Checked for combustion gas and fuel odors			
7b.	Ensured that combustion appliances have flues or exhaust hoods			
7c.	Checked for leaks, disconnections, and deterioration			
7d.	Ensured there is no soot on inside or outside of flue components			
8.	OTHER			
8a.	Checked for peeling and flaking paint (if the building was built before 1980, this could be a lead hazard)			- WORKING ON THIS
8ъ.	Determined date of last radon test			- NOW FOR DOC

- NO ATTIC



- 1. Read the IAQ

  Backgrounder and the Background Information for this checklist.
- 2. Keep the
  Background
  Information and
  make a copy of
  the checklist for
  future reference.
- 3. Complete the Checklist.
  - Check the "yes,"
     "no," or
     "not applicable"
     box beside each
     item. (A "no"
     response
     requires further
     attention.)
  - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

# **Waste Management Checklist**

Name:	STEPHEN	KOGUT	
School:	Maloney High	n School	, , , , , , , , , , , , , , , , , , , ,
Room or	Area: AU	Date Complete	ed: 2/23/24
Signature	Stylm	Kogut	,

1.	WASTE MANAGEMENT	Yes	No	N/A
1a.	Ensured that waste containers are appropriate for use (for example, food waste containers should have lids)	./	, <sub>□</sub>	ū
1b.	Ensured that waste containers are lined			
lc.	Ensured that waste from art, science, vocational classes, etc., are handled separately	🕊	′ a	0
1d.	Labeled recycling bins clearly			
1e.	Ensured number of bins and dumpsters is adequate	⊠		
1 f.	Ensured appropriate location of dumpsters (i.e., away from air intakes, doors, and operable windows in relation to prevailing winds)	🗹	′ ′ 🗆	۵
1g.	Ensured waste containers are emptied regularly	🗹 🖊	<b>'</b> 🖸	
lh.	Ensured appropriate waste removal schedule	🛂		0/
1i.	Ensured waste is stored in a well-ventilated room			W/
lj.	Ensured any exhaust fans in the room are operating properly	ロ/	0	M
1k.	Checked waste storage areas for odors, contaminants, or signs of vermin	ॼ॔		

## **NOTES**

- NO TRASH IS STORED INSIDE.